

Product Specification

Potassium Thiocyanate

Chemical Name: Potassium thiocyanate

Molecular Formula: KSCN
Molecular Mass: 97,2 g/mol
CAS-No.: 333-20-0
EC-No.: 206-370-1

Properties

Bulk density: approx. 750 kg/m³
Solubility in water (20°C): approx. 2300 g/l
Melting point: approx. 172 °C

Specification

Appearance: white crystals Content (on dried basis): min. 98,0 % Moisture: max. 2,5 % ron: max. 3 mg/kg pH (5% aqueous solution): 5,5 – 7,5

Typical Characteristics

Chloride: < 500 mg/kg
Sulphate: < 500 mg/kg
Heavy metals: < 20 mg/kg

Analytical methods are available on request.

Major Applications

In the water treatment industry as corrosion inhibitor.

In agriculture as an intermediate in the manufacture of pesticides.

In the photographic industry as sensitizer and stabilizer.

In metallurgy for the extraction of zirconium, hafnium, thorium and other rare earths. In analytical chemistry as reagent.

Storage

Store in a cool and dry place and avoid any contact to a strong acid.

Use resistant equipment like polymer materials and high grade alloys. Iron corrosion can result in red coloration of product when exposed to UV-light. Although the product is stable when stored under ambient conditions without exposure to other chemicals, it is advised to reanalyze before use after 3 years of storage. Thiocyanates are hygroscopic and will attract humidity from air. This might result in higher moisture content in the product after some time.

Packing and Transport

Potassium thiocyanate is delivered in: 25 kg net in paper bags

Hazard Identification No.: none UN-No.: none

Safety advice

For transport, handling and first aid instructions we refer to our Material Safety Data Sheet (MSDS).

The information presented herein is true and accurate to the best of our knowledge, but without any guarantee unless explicitly given. Since the conditions of use are beyond our control we disclaim any liability including for patent infringement, incurred in connection with the use of this product, data and suggestions.

Carbosulf Chem. Werke GmbH Geestemünder Str. 26 50735 Cologne Germany T +49-221-7496-101 F +49-221-7496-190

https://sulfurderivatives.nouryon.com/