

# SAFETY DATA SHEET

# 1. Identification

Product identifier: HYDROCHLORIC ACID

### Other means of identification

Synonyms: Muriatic Acid, Hydrogen Chloride, Aqueous

 
 Product No.:
 9385, 9538, 9165, V226, V187, V078, V001, 6900, 2624, 2515, H999, H987, H616, 5861, 2062, 5814, 2626, 2612, 5800, 9625, 5587, 9551, 9544, 9539, 9535, 9530, 9529, 5367, H613, 37825, 25496, 20620, 9553

#### Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

# Details of the supplier of the safety data sheet

# Manufacturer

| Company Name:<br>Address:          | Avantor Performance Materials, Inc.<br>3477 Corporate Parkway, Suite 200<br>Center Valley, PA 18034 |
|------------------------------------|---|
| Telephone:                         | Customer Service: 855-282-6867  |
| Fax:<br>Contact Person:<br>E-mail: | 610-573-2610<br>Environmental Health & Safety<br>info@avantormaterials.com                          |

### **Emergency telephone number:**

CHEMTREC: 1-800-424-9300 within US and Canada

# 2. Hazard(s) identification

### **Hazard Classification**

| Physical Hazards   |            |
|--|------------|
| Corrosive to metals  | Category 1 |
| Health Hazards   |            |
| Acute toxicity (Oral)  | Category 4 |
| Skin Corrosion/Irritation  | Category 1 |
| Serious Eye Damage/Eye Irritation  | Category 1 |
| Specific Target Organ Toxicity -<br>Single Exposure (Inhalation - vapor) | Category 3 |

## **Label Elements**

### Hazard Symbol:



| Signal Word:   | Danger   |
|--|--|
| Hazard Statement:  | May be corrosive to metals.<br>Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>May cause respiratory irritation.  |
| Precautionary<br>Statements                              |  |
| Prevention:  | Keep only in original container. Wash thoroughly after handling. Do not<br>breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-<br>ventilated area. Wear protective gloves/protective clothing/eye<br>protection/face protection. Do not eat, drink or smoke when using this<br>product.   |
| Response:  | Absorb spillage to prevent material damage. IF SWALLOWED: Rinse<br>mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately<br>all contaminated clothing. Rinse skin with water/shower. Wash<br>contaminated clothing before reuse. IF IN EYES: Rinse cautiously with<br>water for several minutes. Remove contact lenses, if present and easy to<br>do. Continue rinsing. IF INHALED: Remove person to fresh air and keep<br>comfortable for breathing. Immediately call a POISON CENTER or<br>doctor/physician. |
| Storage:   | Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant container with a resistant inner liner.   |
| Disposal:  | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.   |
| Other hazards which do not result in GHS classification: | None.  |

# 3. Composition/information on ingredients

# **Mixtures**

|                                      | Chemical Identity Common name and synonyms | CAS number | Content in percent (%)* |
|--------------------------------------|--|------------|-------------------------|
| HYDROCHLORIC ACID 7647-01-0 20 - 40% | HYDROCHLORIC ACID                          | 7647-01-0  | 20 - 40%                |

concentrations are in percent by volume. All C oncentrations are percent by weight unless ingredient is a q

# 4. First-aid measures

| General information: | Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.  |
|----------------------|--|
| Ingestion:           | Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Inhalation:          | Move to fresh air. Call a physician or poison control center immediately.<br>Apply artificial respiration if victim is not breathing If breathing is difficult,<br>give oxygen.                                |



| Skin Contact:  | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.              |  |
|--|---|--|
| Eye contact:   | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.            |  |
| Most important symptoms/effect   | s, acute and delayed  |  |
| Symptoms:  | Causes severe skin and eye burns. Harmful if swallowed.   |  |
| Indication of immediate medical  | attention and special treatment needed  |  |
| Treatment:   | Treat symptomatically. Symptoms may be delayed.   |  |
| 5. Fire-fighting measures  |   |  |
| General Fire Hazards:  | No unusual fire or explosion hazards noted.   |  |
| Suitable (and unsuitable) extingu  | lishing media   |  |
|  |   |  |
| Suitable extinguishing media:  | The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.   |  |
| Unsuitable extinguishing media:  | None known.   |  |
| Specific hazards arising from the chemical:                                | Fire or excessive heat may produce hazardous decomposition products.  |  |
| Special protective equipment an  | d precautions for firefighters  |  |
| Special fire fighting procedures:  | Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.   |  |
| Special protective equipment for fire-fighters:                            | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.  |  |
| 6. Accidental release measures   |   |  |
| Personal precautions,<br>protective equipment and<br>emergency procedures: | Ventilate closed spaces before entering them. Keep unauthorized personnel away. Evacuate area. Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |  |
| Methods and material for<br>containment and cleaning<br>up:                | Neutralize with lime or soda ash. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.  |  |
| Notification Procedures:   | Inform authorities if large amounts are involved.   |  |
| Environmental Precautions:   | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.  |  |



Version: 4.2 Revision Date: 12-06-2016

| 7. Handling and storage                       |  |
|---|--|
| Precautions for safe handling:                | Do not eat, drink or smoke when using the product. Do not get in eyes, on skin, on clothing. Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use caution when adding this material to water. |
| Conditions for safe storage,<br>including any | Keep container tightly closed. Store in a well-ventilated place. Unsuitable containers: metals.  |

# 8. Exposure controls/personal protection

# **Control Parameters**

incompatibilities:

| Chemical Identity | type      | Exposure Lim | nit Values | Source   |
|-------------------|-----------|--------------|------------|--|
| HYDROCHLORIC ACID | Ceiling   | 2 ppm        |            | US. ACGIH Threshold Limit Values (2011)  |
|                   | Ceil_Time | 5 ppm        | 7 mg/m3    | US. NIOSH: Pocket Guide to Chemical<br>Hazards (2010)  |
|                   | Ceiling   | 5 ppm        | 7 mg/m3    | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006)                   |
|                   | Ceiling   | 5 ppm        | 7 mg/m3    | US. OSHA Table Z-1-A (29 CFR 1910.1000)<br>(1989)  |
|                   | Ceiling   | 2 ppm        |            | US. California Code of Regulations, Title 8,<br>Section 5155. Airborne Contaminants (01<br>2015) |
|                   | TWA PEL   | 0.3 ppm      | 0.45 mg/m3 | US. California Code of Regulations, Title 8,<br>Section 5155. Airborne Contaminants (01<br>2015) |

#### Appropriate Engineering Controls

No data available.

# Individual protection measures, such as personal protective equipment

| General information:                | Good general ventilation (typically 10 air changes per hour) should be used.<br>Ventilation rates should be matched to conditions. If applicable, use<br>process enclosures, local exhaust ventilation, or other engineering controls<br>to maintain airborne levels below recommended exposure limits. If<br>exposure limits have not been established, maintain airborne levels to an<br>acceptable level. An eye wash and safety shower must be available in the<br>immediate work area. |
|-------------------------------------|---|
| Eye/face protection:                | Wear safety glasses with side shields (or goggles) and a face shield.   |
| Skin Protection<br>Hand Protection: | Chemical resistant gloves   |
| Other:                              | Wear suitable protective clothing and gloves.   |
| Respiratory Protection:             | If engineering controls do not maintain airborne concentrations below<br>recommended exposure limits (where applicable) or to an acceptable level<br>(in countries where exposure limits have not been established), an<br>approved respirator must be worn. Air-purifying respirator with an<br>appropriate, government approved (where applicable), air-purifying filter,<br>cartridge or canister. Contact health and safety professional or<br>manufacturer for specific information.   |
| Hygiene measures:                   | Provide eyewash station and safety shower. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Do not get this material in contact with skin.  |



# 9. Physical and chemical properties

# Appearance

| Physical state:                                       | liquid                     |  |
|---|----------------------------|--|
| Form:   | liquid                     |  |
| Color:  | Colorless                  |  |
| Odor:   | Pungent                    |  |
| Odor threshold:                                       | No data available.         |  |
| pH:   | 0.1 (1 N aqueous solution) |  |
| Melting point/freezing point:                         | -35 °C                     |  |
| Initial boiling point and boiling range:              | 48 °C                      |  |
| Flash Point:  | not applicable             |  |
| Evaporation rate:                                     | No data available.         |  |
| Flammability (solid, gas):                            | No data available.         |  |
| Upper/lower limit on flammability or explosive limits |                            |  |
| Flammability limit - upper (%):                       | No data available.         |  |
| Flammability limit - lower (%):                       | No data available.         |  |
| Explosive limit - upper (%):                          | No data available.         |  |
| Explosive limit - lower (%):                          | No data available.         |  |
| Vapor pressure:                                       | 14.1 kPa                   |  |
| Vapor density:  | No data available.         |  |
| Relative density:                                     | 1.18 (20 °C)               |  |
| Solubility(ies)                                       |                            |  |
| Solubility in water:                                  | Soluble                    |  |
| Solubility (other):                                   | No data available.         |  |
| Partition coefficient (n-octanol/water):              | No data available.         |  |
| Auto-ignition temperature:                            | No data available.         |  |
| Decomposition temperature:                            | No data available.         |  |
| Viscosity:  | No data available.         |  |
|   |                            |  |

# 10. Stability and reactivity

| Reactivity:                          | Reacts violently with strong alkaline substances.   |
|--------------------------------------|---|
| Chemical Stability:                  | Material is stable under normal conditions.   |
| Possibility of hazardous reactions:  | Hazardous polymerization does not occur.  |
| Conditions to avoid:                 | Avoid contact with strong reducing agents. Strong oxidizing agents. Contact with alkalis. |
| Incompatible Materials:              | Amines. Alkalies. Metals. Reducing agents. Oxidizing agents.                              |
| Hazardous Decomposition<br>Products: | Chlorine. hydrogen chloride By heating and fire, corrosive vapors/gases may be formed.    |

Causes severe skin burns.

11. Toxicological information

# Information on likely routes of exposure Ingestion: Harmful if swallowed.

| evere burns. |
|--------------|
|              |

| Skin Contact:         |  |  |
|-----------------------|--|--|
| SDS_US - SDSMIX000520 |  |  |



| Eye contact:   | Causes serious eye damage.                                 |  |
|--|--|--|
| Information on toxicological effe  | cts  |  |
| Acute toxicity (list all possible  | routes of exposure)  |  |
| Oral<br>Product:   | ATEmix (Rat): 581 mg/kg                                    |  |
| Dermal<br>Product:   | No data available.   |  |
| Specified substance(s):<br>HYDROCHLORIC<br>ACID  | LD 50 (Mouse): 1,449 mg/kg                                 |  |
| Inhalation<br>Product:   | No data available.   |  |
| Specified substance(s):<br>HYDROCHLORIC ACID   | LC 50 (Mouse, 1 h): 1108 ppm<br>LC 50 (Rat, 1 h): 3124 ppm |  |
| Repeated dose toxicity<br>Product:   | No data available.   |  |
| Skin Corrosion/Irritation<br>Product:  | Causes severe skin burns.                                  |  |
| Serious Eye Damage/Eye Irritatio<br>Product:   | on<br>Causes serious eye damage.                           |  |
| Respiratory or Skin Sensitization<br>Product:  | n<br>Not a skin sensitizer.                                |  |
| Carcinogenicity<br>Product:  | This substance has no evidence of carcinogenic properties. |  |
| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:<br>No carcinogenic components identified  |  |  |
| US. National Toxicology Program (NTP) Report on Carcinogens:<br>No carcinogenic components identified        |  |  |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):<br>No carcinogenic components identified |  |  |
| Germ Cell Mutagenicity   |  |  |
| In vitro<br>Product:   | No mutagenic components identified                         |  |
| In vivo<br>Product:  | No mutagenic components identified                         |  |
| Reproductive toxicity<br>Product:  | No components toxic to reproduction                        |  |
| Specific Target Organ Toxicity -<br>Product:   | Single Exposure<br>Respiratory tract irritation.           |  |
| Specific Target Organ Toxicity - Repeated Exposure<br>Product: None known.                                   |  |  |
|  |  |  |



| Not classified |
|----------------|
|                |

Other effects:

None known.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

| Fish<br>Product:   | No data available.   |
|--|--|
| Specified substance(s):<br>HYDROCHLORIC ACID                         | LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 282 mg/l Mortality  |
| Aquatic Invertebrates<br>Product:                                    | No data available.   |
| Specified substance(s):<br>HYDROCHLORIC ACID                         | LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 240 mg/l<br>Mortality<br>LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 260 mg/l<br>Mortality |
| Chronic hazards to the aquati  | c environment:   |
| Fish<br>Product:   | No data available.   |
| Aquatic Invertebrates<br>Product:                                    | No data available.   |
| Toxicity to Aquatic Plants<br>Product:                               | No data available.   |
| Persistence and Degradability  |  |
| Biodegradation<br>Product:   | Expected to be readily biodegradable.  |
| BOD/COD Ratio<br>Product:  | No data available.   |
| Bioaccumulative Potential<br>Bioconcentration Factor (BC<br>Product: | CF)<br>No data available on bioaccumulation.   |
| Partition Coefficient n-octan<br>Product:                            | ol / water (log Kow)<br>No data available.   |
|  |  |
| Mobility in Soil:  | The product is water soluble and may spread in water systems.  |
| Other Adverse Effects:   | Large amounts of the product may affect the acidity (pH-factor) in water with possible risk of harmful effects to aquatic organisms.                                     |

# 13. Disposal considerations



| Disposal instructions:        | Discharge, treatment, or disposal may be subject to national, state, or local<br>laws.<br>Since emptied containers retain product residue, follow label warnings even<br>after container is emptied. |  |
|-------------------------------|--|--|
| Contaminated Packaging:       |  |  |
| 14. Transport information     |  |  |
| DOT                           |  |  |
| UN Number:                    | UN 1789  |  |
| UN Proper Shipping Name:      | Hydrochloric acid  |  |
| Transport Hazard Class(es)    | ·  |  |
| Class(es):                    | 8  |  |
| Label(s):                     | 8  |  |
| Packing Group:                | <br>Nation Marine Dall (and  |  |
| Marine Pollutant:             | Not a Marine Pollutant   |  |
| Special precautions for user: | -  |  |
| IMDG                          |  |  |
| UN Number:                    | UN 1789  |  |
| UN Proper Shipping Name:      | HYDROCHLORIC ACID  |  |
| Transport Hazard Class(es)    |  |  |
| Class(es):                    | 8  |  |
| Label(s):                     | 8  |  |
| EmS No.:                      | F-A, S-B   |  |
| Packing Group:                | I  |  |
| Marine Pollutant:             | Not a Marine Pollutant   |  |
| Special precautions for user: | -  |  |
| ΙΑΤΑ                          |  |  |
| UN Number:                    | UN 1789  |  |
| Proper Shipping Name:         | Hydrochloric acid  |  |
| Transport Hazard Class(es):   | · · · · · · · · · · · · · · · · · · ·  |  |
| Ċlass(es):                    | 8  |  |
| Label(s):                     | 8  |  |
| Marine Pollutant:             | Not a Marine Pollutant   |  |
| Packing Group:                | II   |  |
| Special precautions for user: | -  |  |
| 15. Regulatory information    |  |  |

### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

| Chemical Identity | Reportable quantity |
|-------------------|---------------------|
| HYDROCHLORIC ACID | 5000 lbs.           |

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Acute (Immediate)

# SARA 302 Extremely Hazardous Substance

|                   | <u>Reportable</u> |
|-------------------|-------------------|
| Chemical Identity | <u>quantity</u>   |
| HYDROCHLORIC ACID | 5000 lbs.         |

Threshold Planning Quantity 500 lbs.



| SARA 304 Emergency Rele   | ease Notification        |                         |
|---|--------------------------|-------------------------|
|   | Reportable quantit       |                         |
| HYDROCHLORIC ACID   |                          | <u>y</u>                |
| HIDROCHLORIC ACID   | 5000 IDS.                |                         |
| SARA 311/312 Hazardous  |                          |                         |
| Chemical Identity   | Threshold Planni         | ng Quantity             |
| HYDROCHLORIC ACID   | HYDROCHLORIC ACID 500lbs |                         |
| SARA 313 (TRI Reporting)  |                          |                         |
|   | Reporting                | Reporting threshold for |
|   | threshold for            | manufacturing and       |
| Chemical Identity   | other users              | processing              |
| HYDROCHLORIC ACID   |                          | 25000 lbs.              |
|   | 10000 103                | 23000 153.              |
| Clean Water Act Section 311 H   | lazardous Substanc       | es (40 CFR 117.3)       |
| Chemical Identity   | Reportable quantit       | t <b>y</b>              |
| HYDROCHLORIC ACID   | Reportable quantity      | : 5000 lbs.             |
| Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): |                          |                         |
|   |                          |                         |
| Chemical Identity   | Reportable quantit       | <u>iy</u>               |
| HYDROCHLORIC ACID   |                          |                         |
| HYDROCHLORIC ACID   | 5000 lbs                 |                         |
| US State Regulations  |                          |                         |
| US. California Proposition 65   |                          |                         |
|   |                          | resent                  |
| No ingredient regulated by CA Prop 65 present.                                    |                          |                         |
| US. New Jersey Worker an  | d Community Right        | -to-Know Act            |
| Chemical Identity   |                          |                         |
| HYDROCHLORIC ACID   |                          |                         |
| US. Massachusetts RTK - S   | Substance List           |                         |
| Chemical Identity   |                          |                         |
| HYDROCHLORIC ACID   |                          |                         |
| US. Pennsylvania RTK - Ha   | azardous Substance       | S                       |
| Chemical Identity   |                          |                         |
| HYDROCHLORIC ACID   |                          |                         |
| US. Rhode Island RTK  |                          |                         |
| Chemical Identity   |                          |                         |
|   |                          |                         |


Chemical Identity HYDROCHLORIC ACID



| On or in compliance with the inventory |
|--|
| On or in compliance with the inventory |
| On or in compliance with the inventory |
| Not in compliance with the inventory.  |
| On or in compliance with the inventory |
| Not in compliance with the inventory.  |
| On or in compliance with the inventory |
| On or in compliance with the inventory |
| Not in compliance with the inventory.  |
| On or in compliance with the inventory |
| On or in compliance with the inventory |
| On or in compliance with the inventory |
| Not in compliance with the inventory.  |
| Not in compliance with the inventory.  |
| Not in compliance with the inventory.  |
|  |

# 16.Other information, including date of preparation or last revision

## **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

| Issue Date:          | 12-06-2016         |
|----------------------|--------------------|
| Revision Date:       | No data available. |
| Version #:           | 4.2                |
| Further Information: | No data available. |



**Disclaimer:** 

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING. COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.