Kolon International Corporation P.O. Box 1052 Seoui, Korea



Section	1	PRODUCT	DENTIFICATION
Section	L.	LUDUCI	DEMILITICATION

PRODUCT NAME:

K-530 C.

CHEMICAL DESCRIPTION:

Cationic Polymer

PRODUCT CLASS:

Water Treatment

MSDS CODE: 0017-11-92

# Section 2. HAZARDOUS INGREDIENTS AND EXPOSURE LIMITS

Chemical Name

CAS Number % by

Weight

OSHA PEL

ACGIH TLV

# Section 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product poses little or no immediate hazard.

PRIMARY ROUTES OF ENTRY: Eye contact, inhalation

TARGET ORGANS:

None

POTENTIAL HEALTH EFFECTS:

EYE CONTACT:

This product is expected to cause eye irritation due to mechanical action.

SKIN CONTACT: The product is not expected to cause skin irritation upon contact. No data is available to suggest that this product may produce an allergic skin reaction or be absorbed through

the skin in harmful amounts.

MSDS Code: 0017-11-92

<sup>\*</sup> No ingredients listed in this section \*

INGESTION: This product would be expected to be practically non-toxic by ingestion. Swallowing this

product may cause discomfort or gastrointestinal disturbance. Negligible amounts of polymer,

if any, are expected to pass through the walls of the GI tract.

INHALATION: As with any particulate matter, inhalation of dust of this product may cause upper respiratory

irritation due to mechanical action.

#### SUBCHRONIC, CHRONIC:

No applicable information was found concerning any potential health effects resulting from subchronic or chronic exposure to the product.

Industrial, medical and environmental health surveys of personnel in plants manufacturing polyacrylamide show a very low degree of hazard from products substantially free of residual acrylamide monomer.

## CARCINOGENICITY:

NTP:

\*No ingredients listed in this section\*

IARC:

\*No ingredients listed in the section\*

OSHA

\*No ingredients listed in the section\*

HMIS RATINGS:

Health = 0

Flammability = 1

Reactivity = 0

Special Hazard = None

Hazard rating scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## Section 4. FIRST AID MEASURES

EYE CONTACT: Not expected to require first aid measures.

SKIN CONTACT: Not expected to require first aid measures.

INGESTION: Not an expected route of overexposure.

INHALATION: Not an expected route of overexposure.

#### Section 5. FIRE-FIGHTING MEASURES

FLASH POINT: > 200 °F (TCC) This product is not flammble.

EXTINGUISHING MEDIA: Use extinguishing media appropriate for the surrounding fire.

FIRE-FIGHTING INSTRUCTIONS: Exercise caution when fighting any chemical fire. A self-contained

breathing apparatus and protective clothing are essential.

Avoid the use of water as product is very slippery when wetted.

FIRE & EXPLOSION HAZARDS: Emits toxic gases under fire conditions.

MSDS Code: 0017-11-92 Page 2

#### Section 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Wearing appropriate personal protective equipment, sweep up material and place into suitable container. Spilled product may make floor slippery; spills should be cleaned up immediately to prevent falls.

# Section 7. HANDLING AND STORAGE

HANDLING: As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary

exposure to the product and ensure prompt removal from eyes, skin and clothing.

Avoid breathing dust.

Use with adequate ventilation. Wash thoroughly after handling

Keep container closed when not in use.

STORAGE: No specific information.

## Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Chemical splash goggles recommended as a good industrial hygiene practice.

SKIN PROTECTION: No special requirement

RESPIRATORY PROTECTION: If dusty conditions are encountered, wear a NIOSH approved dust

respirator.

## ENGINEERING CONTROLS.

Local exhaust recommended if pandling procedure is generating high dust concentrations.

# Section 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: Available SOLUBILITY IN WATER: Complete

VAPOR PRESSURE: Very low SPECIFIC GRAVITY: 1.00 - 1.20

VAPOR DENSITY (air = 1): Not applicable pH: Not applicable

% VOLATILE BY WEIGHT: Negligible FREEZING POINT: Not available

APPEARANCE: White granular powder.

## Section 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: No specific information

MSDS Code: 0017-11-92 Page 3

INCOMPATIBILITY: S

Strong oxidizers

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, oxides of nitrogen.

Section 11. TOXICOLOGICAL INFORMATION

ON PRODUCT:

Oral LD50 (rat): 2,800 mg/kg

ON INGREDIENTS;

Oral-LD50

Dermal LD50

Chemical Name

(rat)

(rabbit)

\*No ingredients listed in this section\*

Section 12. ECOLOGICAL INFORMATION

ON PRODUCT:

No information entered at this time.

ON INGREDIENTS:

Chemical Name

Aquatic Toxicity Data

\*No ingredients listed in this section\*

Section 13. DISPOSAL CONSIDERATIONS

RCRA STATUS:

This product as sold would not be considered a RCRA Hazardous Waste.

DISPOSAL:

Dispose of in accordance with local, state and federal regulations.

Section 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Hazard Class: Not restricted

Proper Shipping Name: Not applicable

ID Number: Not applicable

Lable: None

Section 15. REGULATORY INFORMATION

OSHA Hazard Communication Status: Nonhazardous

TSCA: The ingredients of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA reportable quantity of EPA hazardous substances in product:

Chemical

RQ

\*No ingredients listed in this section\*

Product RQ:

Not applicable

(Notify EPA of product spills exceeding this amount)

MSDS Code: 0017-11-92

Page 4

SARA TITLE III:

Section 302 Extremely Hazarlous Substances:

Chemical Name

CAS#

RQ-

TPO

\*No ingredients listed in this section\*

Section 311 and 312 Health and Physical Hazards:

Immediate [no] Delayed [no] Fire [no]

Pressure [no]

Reactivity

[no]

Section 313 Toxic Chemicals:

Chemical Name

CAS#

% by Weight

\*No ingredients listed in this section\*

MSDS Code: 0017-11-92

Page 5 Last Page