

測試報告

Test Report

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓

9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

日期(Date): 2015/05/25 頁數(Page): 1 of 9

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 新能化工股份有限公司 (ZENITH CHEMICAL CORP.)

號碼(No.): CE/2015/53481

樣品名稱(Sample Description) : NICKEL CHLORIDE

收件日期(Sample Receiving Date) : 2015/05/18

測試期間(Testing Period) : 2015/05/18 TO 2015/05/25

測試需求(Test Requested):

(1) 依據客户要求,參考RoHS 2011/65/EU Annex II 指令測試鎬、鉛、汞、六價鉻、多溴聯苯醚. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)

(2) 其他測試項目請見下一頁 . / Please refer to next pages for the other item(s).

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) :

(1) 根據客户所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚的測試結果符合 RoHS 指令 2011/65/EU Annex II 之限值要求 (Based on the performed tests on submitted samples, the test result(s) of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II.)





號碼(No.): CE/2015/53481 日期(Date): 2015/05/25 頁數(Page): 2 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓 9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 綠色結晶體 (GREEN CRYSTAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法,以UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n.d.	1000
神 / Arsenic (As)	mg/kg	参考US EPA 3052方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.	-
鉻 / Chromium (Cr)	mg/kg	参考US EPA 3052方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.	-



號碼(No.): CE/2015/53481 日期(Date): 2015/05/25 頁數(Page): 3 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓 9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)	限値 (Limit)
(lest liems)	(Onit)	(Method)	(MDL)	No.1	(211111)
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n.d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n.d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n.d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321: 2008方法,以氣相層	5	n.d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	析/質譜儀檢測. / With reference to	5	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321: 2008 and performed by	-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	GC/MS.	5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.	-
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F)	mg/kg		50	n.d.	-
(CAS No.: 14762-94-8)					
鹵素 (氣) / Halogen-Chlorine (Cl)	mg/kg	- 参考BS EN 14582:2007, 以離子層析儀	50	287000	-
(CAS No.: 22537-15-1)		分析. / With reference to BS EN			
鹵素 (溴) / Halogen-Bromine (Br)	mg/kg	14582:2007. Analysis was performed	50	n.d.	_
(CAS No.: 10097-32-2)		by IC.		n.a.	
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CE/2015/53481 日期(Date): 2015/05/25 頁數(Page): 4 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓 9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

τ


號碼(No.): CE/2015/53481 日期(Date): 2015/05/25

頁數(Page): 5 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓

9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



測試報告

Test Report

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓

9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN


號碼(No.): CE/2015/53481 日期(Date): 2015/05/25 頁數(Page): 6 of 9



- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ /HF
金,鉑,鲃,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate
	reagent to total digestion



新能化工股份有限公司 ZENITH CHEMICAL CORP.


台北市衡陽路10號9樓

9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

號碼(No.): CE/2015/53481 日期(Date): 2015/05/25 頁數(Page): 7 of 9

鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2015/53481

日期(Date): 2015/05/25


頁數(Page): 8 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓 9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

確認程序 / Confirmation process - - - - ▶



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2015/53481 日期(Da

日期(Date): 2015/05/25

頁數(Page): 9 of 9

新能化工股份有限公司 ZENITH CHEMICAL CORP. 台北市衡陽路10號9樓 9F, NO. 10, HENG YANG RD., TAIPEI, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2015/53481



** 報告結尾 (End of Report) **